ELSEVIER

Journal of Alloys and Compounds 218 (1995) 269–270

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 218

Ahmed, H.A., 36
Akiba, E., 101
Almeida, M., 183
Altunbaş, M., 47
Antonione, C., 267
Assis, O.B.G., 263

Bakker, H., L15
Baricco, M., 267
Battezzati, L., 267
Battle, P.D., 110
Bharadwaj, S.R., 135
Bokhonov, B.B., 190
Boldyrev, V.V., 190
Bordet, P., 197
Boucherle, J.X., 197
Bourée-Vigneron, F., 64
Branagan, D.J., 143
Brenscheidt, F., 138
Bronger, W., 22
Buschow, K.H.J., 268, L15

Cajipe, V.B., 157
Chenavas, J., 197
Chen, R., 221
Cheng, Z., L1
Chevalier, B., 90
Cholewa, K., 77
Chuang, Y.C., 28
Clewley, J.D., 139

Das, I., L11
Davoli, I., 237
de Boer, F.R., L15
Delamare, J., 17
De Pauw, V., 31
Dharwadkar, S.R., 135
DiSalvo, F.J., 9

El-Eskandarany, M.S., 36
Estrela, P., 183
Etourneau, J., 90
Evain, M., 157

Fang, C.M., 224
Ferrante, M., 263
Flanagan, T.B., 139
Fourgeot, F., 90
Fournès, L., 90
Fraunberger, G., 5
Fujino, T., 149
Fujitani, S., 216
Fukuda, K., 149
Fukuda, T., 117

Gaviko, V.S., 165
Gitzendanner, R.L., 9
Godinho, M., 183
Gonçalves, A.P., 183
Gong, H., L1
Gore, J.G., 110
Gozzi, D., 237
Grauel, A., 13
Gravereau, P., 90
Guo, H.-Y., 1
Guo, Q., L21
Guo, Y., 127

Han, Z.F., 131
Harbrecht, B., 177
Häußermann, U., 244
Hinatsu, Y., 58
Hollyman, R.C., 110
Horn, S., 13
Hu, B.P., 131
Hulliger, F., 44, 255
Huot, J., 101
Hussain, O.Md., 86

Imai, H., 73
Inoue, A., L7
Ishido, Y., 101
Ivanov, V., L19, L24

Jayarama Reddy, P., 86
Jin, H.M., 131
Jin, X.M., 28

Kalyanaraman, R., 135
Kameo, Y., 228
Kanatzidis, M.G., 1
Karal, H., 47
Keller, N., 197
Kim, W.W., 5
Kistaiah, P., L4
Kleppa, O.J., L21
Kononov, A., 173
Konstanchuk, I.G., 190
Korolyov, A.V., 165
Krumeich, F., 177
Kubiak, R., 259
Küçükömeroğlu, T., 47
Kulkarni, S.G., 95
Kuznetsov, S., 173

Łączka, M., 77
Latroche, M., 64
Le Breton, J.M., 31
Legras, L., 17
Lejay, P., 197
Lemarchand, D., 17, 31
Li, J., 1
Li, J.Y., 28
Liang, B., L1
Liang, J., 127
Liu, J., 221
Liu, J.P., L15
Luo, S., 139

Mahne, S., 177
Maisonneuve, V., 157
Malaman, B., 204
Masumoto, T., L7
McCallum, R.W., 143
Meetsma, A., 224
Menovsky, A.A., L15
Middleton, D.P., 268
Mielke, A., 5
Mishra, R.K., 135
Molinié, P., 157
Mulder, F.M., 268
Müller, P., 22
Mushnikov, N.V., 165

Naidu, B.S., 86
Nakamura, H., 216
Nakamura, Y., 216
Narasimha Chary, M., 121
Nesper, R., 244
Nezir, S., 47
Ning, Y., 51
Noh, H., 139
Norwig, J., 13

Ogura, T., 101
Ohta, M., 228
Oliveira, I.L., 263

Payen, C., 157
Percheron-Guégan, A., 64
Polyakov, E., 173
Powell, A.V., 110
Prasada Rao, K., 86

Qian, Z.N., 131

Rajarajan, A.K., L11
Rao, G., 127
Reddy, K.T.R., 86
Reddy, P.S., 86
Ressouche, E., 204
Rieger, J.J., 5
Rodríguez-Carvajal, J., 64
Ruschewitz, U., 22

Samant, M.S., 135
Sampathkumaran, E.V., L11
Sato, M., 228
Sato, N., 149
Satyanarayana Murthy, K., L4
Savant, S.S., 135
Scheidt, E.-W., 5
Seidel, D., 138
Serizawa, H., 149
Shareefuddin, Md., 121
Shen, B., L1
Shiga, M., 73
Shindo, D., 117
Shiratori, T., 149
Shishido, T., 117
Sinka, V., 263
Sood, D.D., 95
Spirlet, J.C., 183
Steglich, F., 13
Stewart, G.R., 5
Subbanna, C.S., 95
Sumiyama, K., 36
Suzuki, K., 36
Szytuła, A., L19, L24

Tang, W., 127
Teillet, J., 31
Thiel, R.C., 268
Tholence, J.L., 197
Toda, K., 228
Tomellini, M., 237
Toyota, N., 117
Tsai, A.P., L7
Tsurui, T., L7

Ukei, K., 117
Uszyński, I., 259
Uthanna, S., 86

Venturini, G., 204
Venugopal, V., 95
Verniere, A., 197
Vidadi, Yu.A., 47
Vigier, P., 17
Vinokurova, L., L19, L24
Vishnuvardhan Reddy, C., L4
Vu Dinh, J., 17

Wada, H., 73
Waerenborgh, J.C., 183

Elsevier Science S.A.

Wang, B.W., 28
Wang, D., 139
Wang, F., L1
Wang, Y.Z., 131
Wei, X., 221
Weiden, M., 13
Welter, R., 204
Wiegers, G.A., 224
Winkelman, A.J.M., L15
Wipf, H., 138
Wu, C.H., 28
Yang, Z., 51
Yonezu, I., 216
Zajkov, N.K., 165
Zhang, H.W., 131
Zhang, J., L1
Zhang, S., 233, L1
Zhang, X., 1
Zhao, H., 51
Zhao, L., 233
Zhao, Y., 127
Zhou, Q., 131

ELSEVIER

Journal of Alloys and Compounds 218 (1995) 271–275

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 218

A.C. susceptibility
magnetic phase diagram of $TbRh_{2-x}Ir_xSi_2$ in high magnetic fields, L19
magnetic properties of $RNiX_2$ (X = Si, Ge) and RMn_xGe_2 compounds, L24
Al substitution
investigation of the δ and μ phases in the Nd–Fe–Al system, 31
Aluminium
structure and magnetostriction of $(Dy_{0.65}Tb_{0.25}Pr_{0.1})(Fe_{1-x}Al_x)_3$ alloys, 28
on the rare-earth palladium aluminides LnPdAl, 44
phase relations in the Al–Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177
Aluminum–cobalt system
mechanical alloying of aluminium and $Al_{13}Co_4$ to an amorphous phase, L7
Ammonia oxidation
changes of composition and surface state of palladium–nickel alloy gauzes used in ammonia oxidation apparatus, 51
Amorphization
mechanical alloying of aluminium and $Al_{13}Co_4$ to an amorphous phase, L7
Anisotropy
structure and magnetic properties of $(Sm_{1-x}Y_x)_2Fe_{14}Ga_3C_2$ (x = 0–1.0) compounds prepared by arc melting, L1
Annealing
solubility of Ti with C in the $Nd_2Fe_{14}B$ system and controlled carbide precipitation, 143
influence of annealing on hydrogenation characteristics and microstructure of $LaNi_{4.55}Al_{0.45}$ alloy, 216
on products of InMg corrosion in wet air and their conversion during annealing in vacuum, 259
Antiferromagnetic phase
the magnetic properties of $BaLaCoIrO_6$ and $Ba_3CoIr_xRu_{2-x}O_9$, 110
Antiferromagnetism
crystal structure, magnetic and electrical properties of the new ternary stannide Ce_2Ni_2Sn, 90
neutron diffraction study of $CeMn_2Ge_2$, $PrMn_2Ge_2$ and $NdMn_2Ge_2$: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic $ThCr_2Si_2$-type manganese ternary compounds, 204
Arc melting
structure and magnetic properties of $(Sm_{1-x}Y_x)_2Fe_{14}Ga_3C_2$ (x = 0–1.0) compounds prepared by arc melting, L1

Calorimetry
redetermination of the standard enthalpies of formation of LaPt, LuPt and $LuPt_3$ by high temperature direct synthesis calorimetry, L21

Cerium stannides
crystal structure, magnetic and electrical properties of the new ternary stannide Ce_2Ni_2Sn, 90
Chemical activities
determination of chemical activities of Fe, Cr, Ni and Mn in stainless steel 316 by Knudsen effusion cell mass spectrometry, 95
Chromium
chromium, cobalt, nickel and copper as pigments of sol–gel glasses, 77
Cluster compounds
the synthesis of $LiMo_4O_6$, $Zn_{0.5}Li_xMo_4O_6$ and $Li_xMo_4O_6$ (x = 0.1) from $InMo_4O_6$, 9
Cobalt
chromium, cobalt, nickel and copper as pigments of sol–gel glasses, 77
Coercivity
crystallographic and magnetic properties of $Nd_{1+x}Fe_{10}Mo_2N_y$, 131
Co-evaporation
structural and optical properties of $Cd_{1-x}Zn_xTe$ thin films, 86
Composition change
changes of composition and surface state of palladium–nickel alloy gauzes used in ammonia oxidation apparatus, 51
Concentration quenching
luminescence properties of layered perovskites activated by Eu^{3+} ions, 228
Copper
chromium, cobalt, nickel and copper as pigments of sol–gel glasses, 77
room-temperature crystal structure of the layered phase $Cu^{I}In^{III}P_2S_6$, 157
Corrosion
on products of InMg corrosion in wet air and their conversion during annealing in vacuum, 259
electrochemical aspects of corrosion in sintered and hot-deformed Nd–Fe–B magnets, 263
Crystal fields
low temperature specific heat of DyBi and ErBi, 73
Crystal growth
single crystals of $(Bi, Pb)_2Sr_2CaCu_2O_x$ grown by the flux method using KCl as the flux, 117
Crystal lattice distortions
hydrogen-induced magnetic anisotropy and crystal lattice distortion in $Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})_2$ compounds, 165
Crystallization
solubility of Ti with C in the $Nd_2Fe_{14}B$ system and controlled carbide precipitation, 143
Crystal structure
new ternary iron sulphides $A_3Fe_2S_4$ (A = K, Rb, Cs): syntheses and crystal structures, 22
crystal structure, magnetic and electrical properties of the new ternary stannide Ce_2Ni_2Sn, 90

Elsevier Science S.A.

crystal structure, phase abundance and electrode performance of Laves phase compounds (Zr, A)$V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A = Ti, Nb or Hf), 101
crystal structure of erbium sesquiselenide, Er_2Se_3, 224
luminescence properties of layered perovskites activated by Eu^{3+} ions, 228

Differential scanning calorimetry
diffusion of nitrogen in R_2Fe_{17} (R = rare earth) compounds determined by the Kissinger method, L15
Diffusion
influence of annealing on hydrogenation characteristics and microstructure of $LaNi_{4.55}Al_{0.45}$ alloy, 216
diffusion of nitrogen in R_2Fe_{17} (R = rare earth) compounds determined by the Kissinger method, L15

Electrical conductivity
thermally stimulated depolarization current studies in sodium- and barium-doped potassium yttrium fluoride, 121
Electrical resistivity
magnetic behaviour of $CePd_2Al$, L11
Electrode performance
crystal structure, phase abundance and electrode performance of Laves phase compounds (Zr, A)$V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A = Ti, Nb or Hf), 101
Electron microscopy
characterization of the Nd–Fe–Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd–Fe–B magnet, 17
Erbium sesquiselenide
crystal structure of erbium sesquiselenide, Er_2Se_3, 224
Expansion
some properties of honeycomb-type $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_y$ superconductors, 47

Ferromagnetism
neutron diffraction study of $CeMn_2Ge_2$, $PrMn_2Ge_2$ and $NdMn_2Ge_2$: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic $ThCr_2Si_2$-type manganese ternary compounds, 204
f-ligand hybridization
formation of Kondo clouds in $U(Sn_{1-x}M_x)_3$ compounds (M = Al, Ga, Ge), 5
Formation enthalpies
redetermination of the standard enthalpies of formation of LaPt, LuPt and $LuPt_3$ by high temperature direct synthesis calorimetry, L21

Germanides
crystal structure and physical properties of new ternary silicides $R_4T_{13}X_9$ (R, rare earth or uranium; T, rhodium or iridium; X, silicon or germanium), 197

Hafnium
electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173
Heat capacity
magnetic behaviour of $CePd_2Al$, L11
Heavy fermion
formation of Kondo clouds in $U(Sn_{1-x}M_x)_3$ compounds (M = Al, Ga, Ge), 5
High field magnetization measurements
magnetic phase diagram of $TbRh_{2-x}Ir_xSi_2$ in high magnetic fields, L19

High-purity
electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173
Honeycomb-type structure
some properties of honeycomb-type $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_y$ superconductors, 47
Hot deformation
electrochemical aspects of corrosion in sintered and hot-deformed Nd–Fe–B magnets, 263
Hydration
mechanically assisted solid state hydrogenation for formation of nanocrystalline $NiTiH_3$ alloy powders, 36
Hydriding–dehydriding cycles
the effects of hydriding–dehydriding cycles on the plateau pressures and van't Hoff plots for Pd–Ni alloys, 139
Hydrogen
hydrogen-induced magnetic anisotropy and crystal lattice distortion in $Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})_2$ compounds, 165
effect of hydrogen on the superplasticity and microstructure of Ti–6Al–4V alloy, 233
Hydrogenation
influence of annealing on hydrogenation characteristics and microstructure of $LaNi_{4.55}Al_{0.45}$ alloy, 216

Indium
room-temperature crystal structure of the layered phase $Cu^{I}In^{III}P_2S_6$, 157
on products of InMg corrosion in wet air and their conversion during annealing in vacuum, 259
Induced magnetic anisotropy
hydrogen-induced magnetic anisotropy and crystal lattice distortion in $Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})_2$ compounds, 165
Intercalation
the synthesis of $LiMo_4O_6$, $Zn_{0.5}Li_xMo_4O_6$ and $Li_xMo_4O_6$ ($x \approx 0.1$) from $InMo_4O_6$, 9
Intermetallic compounds
structural and physical properties of $UFe_{10}Mo_2$, 183
Ion exchange chemistry
the synthesis of $LiMo_4O_6$, $Zn_{0.5}Li_xMo_4O_6$ and $Li_xMo_4O_6$ ($x \approx 0.1$) from $InMo_4O_6$, 9
Iron
structure and magnetostriction of $(Dy_{0.65}Tb_{0.25}Pr_{0.1})(Fe_{1-x}Al_x)_3$ alloys, 28
Isothermal sections
the isothermal section of the phase diagram of the ternary system Al–Sn–Y at room temperature, 221

KCl flux
single crystals of $(Bi, Pb)_2Sr_2CaCu_2O_y$ grown by the flux method using KCl as the flux, 117
Kissinger method
diffusion of nitrogen in R_2Fe_{17} (R = rare earth) compounds determined by the Kissinger method, L15
Knudsen cell mass spectrometry
determination of chemical activities of Fe, Cr, Ni and Mn in stainless steel 316 by Knudsen effusion cell mass spectrometry, 95
Kondo effect
formation of Kondo clouds in $U(Sn_{1-x}M_x)_3$ compounds (M = Al, Ga, Ge), 5
crystal structure, magnetic and electrical properties of the new ternary stannide Ce_2Ni_2Sn, 90
magnetic behaviour of $CePd_2Al$, L11

Lattice strain
study on the development of the lattice strain in $(Mg,U)O_{2+x}$ solid solution, 149
Laves phase compounds
crystal structure, phase abundance and electrode performance of Laves phase compounds (Zr, A)$V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A = Ti, Nb or Hf), 101
Layered perovskite
luminescence properties of layered perovskites activated by Eu^{3+} ions, 228
Luminescence
luminescence properties of layered perovskites activated by Eu^{3+} ions, 228

Magnesium
study on the development of the lattice strain in $(Mg,U)O_{2+x}$ solid solution, 149
on products of InMg corrosion in wet air and their conversion during annealing in vacuum, 259
Magnetic behaviour
magnetic behaviour of $CePd_2Al$, L11
Magnetic ordering
on rare earth gold aluminides $LnAuAl_3$ and related compounds, 255
Magnetic phase diagrams
magnetic phase diagram of $TbRh_{2-x}Ir_xSi_2$ in high magnetic fields, L19
magnetic properties of $RNiX_2$ (X = Si, Ge) and RMn_xGe_2 compounds, L24
Magnetic properties
magnetic properties of ordered perovskite oxide $Ba_2ZnU_2O_6$, 58
crystallographic and magnetic properties of $Nd_{1+x}Fe_{10}Mo_2N_x$, 131
solubility of Ti with C in the $Nd_2Fe_{14}B$ system and controlled carbide precipitation, 143
structural and physical properties of $UFe_{10}Mo_2$, 183
crystal structure and physical properties of new ternary silicides $R_4T_{13}X_9$ (R, rare earth or uranium; T, rhodium or iridium; X, silicon or germanium), 197
structure and magnetic properties of $(Sm_{1-x}Y_x)_2Fe_{14}Ga_3C_2$ ($x = 0$–1.0) compounds prepared by arc melting, L1
magnetic properties of $RNiX_2$ (X = Si, Ge) and RMn_xGe_2 compounds, L24
Magnetic structure
the magnetic properties of $BaLaCoIrO_6$ and $Ba_2CoIr_xRu_{2-x}O_6$, 110
Magnetic susceptibility
magnetic properties of ordered perovskite oxide $Ba_2ZnU_2O_6$, 58
on rare earth gold aluminides $LnAuAl_3$ and related compounds, 255
Magnetostriction
structure and magnetostriction of $(Dy_{0.65}Tb_{0.25}Pr_{0.1})(Fe_{1-x}Al_x)_3$ alloys, 28
hydrogen-induced magnetic anisotropy and crystal lattice distortion in $Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})_2$ compounds, 165
Magnets
characterization of the Nd–Fe–Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd–Fe–B magnet, 17
electrochemical aspects of corrosion in sintered and hot-deformed Nd–Fe–B magnets, 263
Main group intermetallics
structural stability of networks in main group intermetallics, 244
Manganese ternary compounds
neutron diffraction study of $CeMn_2Ge_2$, $PrMn_2Ge_2$ and $NdMn_2Ge_2$: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic $ThCr_2Si_2$-type manganese ternary compounds, 204
Mechanical alloying
mechanically assisted solid state hydrogenation for formation of nanocrystalline $NiTiH_3$ alloy powders, 36
sequence of phase formation during mechanical alloying in the Mo–Si system, 190
mechanical alloying of aluminium and $Al_{13}Co_4$ to an amorphous phase, L7
Metal hydrides
mechanically assisted solid state hydrogenation for formation of nanocrystalline $NiTiH_3$ alloy powders, 36
structural studies of $LaNi_4CoD_{4.11}$ and $LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}D_{5.57}$ by means of neutron powder diffraction, 64
Metallic systems
high-temperature oxidation of one- and two-component metallic systems studied by in-situ X-ray absorption spectroscopy, 237
Method of moments
structural stability of networks in main group intermetallics, 244
Microstructure
characterization of the Nd–Fe–Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd–Fe–B magnet, 17
solubility of Ti with C in the $Nd_2Fe_{14}B$ system and controlled carbide precipitation, 143
effect of hydrogen on the superplasticity and microstructure of Ti–6Al–4V alloy, 233
Molar enthalpies
the standard molar enthalpy of formation of $HfTe_3O_6$, 135
Molten salt electrolysis
electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173
Molybdenum disilicide
sequence of phase formation during mechanical alloying in the Mo–Si system, 190
Mössbauer spectrometry
investigation of the δ and μ phases in the Nd–Fe–Al system, 31

Neodymium vanadate
X-ray study of the thermal expansion anisotropy in neodymium vanadate, L4
Neutron diffraction
the magnetic properties of $BaLaCoIrO_6$ and $Ba_2CoIr_xRu_{2-x}O_6$, 110
neutron diffraction study of $CeMn_2Ge_2$, $PrMn_2Ge_2$ and $NdMn_2Ge_2$: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic $ThCr_2Si_2$-type manganese ternary compounds, 204
Neutron powder diffraction
structural studies of $LaNi_4CoD_{4.11}$ and $LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}D_{5.57}$ by means of neutron powder diffraction, 64
Nickel
chromium, cobalt, nickel and copper as pigments of sol–gel glasses, 77
the effects of hydriding–dehydriding cycles on the plateau pressures and van't Hoff plots for Pd–Ni alloys, 139
Nitrides
crystallographic and magnetic properties of $Nd_{1+x}Fe_{10}Mo_2N_x$, 131

Nitrogen
diffusion of nitrogen in R_2Fe_{17} (R = rare earth) compounds determined by the Kissinger method, L15

Optical properties
structural and optical properties of $Cd_{1-x}Zn_xTe$ thin films, 86
Ordered perovskite
magnetic properties of ordered perovskite oxide $Ba_3ZnU_2O_9$, 58
Oxidation
high-temperature oxidation of one- and two-component metallic systems studied by in-situ X-ray absorption spectroscopy, 237
Oxides
magnetic properties of ordered perovskite oxide $Ba_3ZnU_2O_9$, 58

Palladium
on the rare-earth palladium aluminides LnPdAl, 44
the effects of hydriding–dehydriding cycles on the plateau pressures and van't Hoff plots for Pd–Ni alloys, 139
Permanent magnetism
crystallographic and magnetic properties of $Nd_{1+x}Fe_{10}Mo_2N_y$, 131
Phase abundance
crystal structure, phase abundance and electrode performance of Laves phase compounds $(Zr, A)V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A = Ti, Nb or Hf), 101
Phase diagrams
the isothermal section of the phase diagram of the ternary system Al–Sn–Y at room temperature, 221
Phase formations
sequence of phase formation during mechanical alloying in the Mo–Si system, 190
Phase relations
subsolidus phase relations of the La–Fe–Al ternary system, 127
phase relations in the Al–Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177
Pigments
chromium, cobalt, nickel and copper as pigments of sol–gel glasses, 77
Plateau pressures
the effects of hydriding–dehydriding cycles on the plateau pressures and van't Hoff plots for Pd–Ni alloys, 139
Platinum recovery
changes of composition and surface state of palladium–nickel alloy gauzes used in ammonia oxidation apparatus, 51
Polytypes
characterization of the Nd–Fe–Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd–Fe–B magnet, 17
Potassium yttrium fluoride
thermally stimulated depolarization current studies in sodium- and barium-doped potassium yttrium fluoride, 121
Powder metallurgy
mechanically assisted solid state hydrogenation for formation of nanocrystalline $NiTiH_3$ alloy powders, 36
Pressure–composition isotherms
influence of annealing on hydrogenation characteristics and microstructure of $LaNi_{4.55}Al_{0.45}$ alloy, 216

Rare-earth 3d metal compounds
crystallographic and magnetic properties of $Nd_{1+x}Fe_{10}Mo_2N_y$, 131
Rare earth gold aluminides
on rare earth gold aluminides $LnAuAl_3$ and related compounds, 255
Rare earth intermetallics
magnetic properties of $RNiX_2$ (X = Si, Ge) and RMn_xGe_2 compounds, L24
Rare earth metals
on the rare-earth palladium aluminides LnPdAl, 44
Rare earths
subsolidus phase relations of the La–Fe–Al ternary system, 127
electrochemical aspects of corrosion in sintered and hot-deformed Nd–Fe–B magnets, 263
Rietveld analysis
luminescence properties of layered perovskites activated by Eu^{3+} ions, 228
Rod milling
mechanically assisted solid state hydrogenation for formation of nanocrystalline $NiTiH_3$ alloy powders, 36

Scandium
electrorefining in molten salts – an effective method of high purity tantalum, hafnium and scandium metal production, 173
Semiconductors
$CsAg_5Te_3$: a new metal-rich telluride with a unique tunnel structure, 1
Single crystals
single crystals of $(Bi, Pb)_2Sr_2CaCu_2O_y$ grown by the flux method using KCl as the flux, 117
Sintering
electrochemical aspects of corrosion in sintered and hot-deformed Nd–Fe–B magnets, 263
Solid-gas reaction
mechanically assisted solid state hydrogenation for formation of nanocrystalline $NiTiH_3$ alloy powders, 36
Solid state reactions
crystalline structure of the strontium niobates $Sr_4Nb_2O_9$ and $Sr_3Nb_4O_{15}$, 13
mechanically assisted solid state hydrogenation for formation of nanocrystalline $NiTiH_3$ alloy powders, 36
Specific heat
low temperature specific heat of DyBi and ErBi, 73
Stainless steel
determination of chemical activities of Fe, Cr, Ni and Mn in stainless steel 316 by Knudsen effusion cell mass spectrometry, 95
Strontium niobates
crystalline structure of the strontium niobates $Sr_4Nb_2O_9$ and $Sr_3Nb_4O_{15}$, 13
Structural properties
structural and optical properties of $Cd_{1-x}Zn_xTe$ thin films, 86
Structural stability
structural stability of networks in main group intermetallics, 244
Superconductivity
single crystals of $(Bi, Pb)_2Sr_2CaCu_2O_y$ grown by the flux method using KCl as the flux, 117
Superconductors
some properties of honeycomb-type $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_y$ superconductors, 47
Superplasticity
effect of hydrogen on the superplasticity and microstructure of Ti–6Al–4V alloy, 233
Surface state
changes of composition and surface state of palladium–nickel alloy gauzes used in ammonia oxidation apparatus, 51

Synthesis
new ternary iron sulphides $A_3Fe_2S_4$ (A = K, Rb, Cs): syntheses and crystal structures, 22

Tantalum
electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173
phase relations in the Al–Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177
Ternary iron sulphides
new ternary iron sulphides $A_3Fe_2S_4$ (A = K, Rb, Cs): syntheses and crystal structures, 22
Ternary silicides
crystal structure and physical properties of new ternary silicides $R_4T_{13}X_9$ (R, rare earth or uranium; T, rhodium or iridium; X, silicon or germanium), 197
Ternary silver telluride
$CsAg_5Te_3$: a new metal-rich telluride with a unique tunnel structure, 1
Ternary systems
the isothermal section of the phase diagram of the ternary system Al–Sn–Y at room temperature, 221
Thermal expansion
X-ray study of the thermal expansion anisotropy in neodymium vanadate, L4
Thermally stimulated depolarization current
thermally stimulated depolarization current studies in sodium- and barium-doped potassium yttrium fluoride, 121
Thermal stability
phase relations in the Al–Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177
Thin films
structural and optical properties of $Cd_{1-x}Zn_xTe$ thin films, 86
Thiophosphate
room-temperature crystal structure of the layered phase $Cu^{I}In^{III}P_2S_6$, 157
Tight-binding Hückel investigation
structural stability of networks in main group intermetallics, 244
Titanium alloy
effect of hydrogen on the superplasticity and microstructure of Ti–6Al–4V alloy, 233
Transition metal oxides
the synthesis of $LiMo_4O_6$, $Zn_{0.5}Li_xMo_4O_6$ and $Li_xMo_4O_6$ ($x \approx 0.1$) from $InMo_4O_6$, 9
Transpiration technique
the standard molar enthalpy of formation of $HfTe_3O_8$, 135
Tunnel structure
$CsAg_5Te_3$: a new metal-rich telluride with a unique tunnel structure, 1

Uranium
magnetic properties of ordered perovskite oxide $Ba_3ZnU_2O_9$, 58
study on the development of the lattice strain in $(Mg,U)O_{2+x}$ solid solution, 149
Uranium compounds
structural and physical properties of $UFe_{10}Mo_2$, 183

X-ray absorption spectroscopy
high-temperature oxidation of one- and two-component metallic systems studied by in-situ X-ray absorption spectroscopy, 237
X-ray diffraction
investigation of the δ and μ phases in the Nd–Fe–Al system, 31
X-ray powder diffraction
crystalline structure of the strontium niobates $Sr_4Nb_2O_9$ and $Sr_5Nb_4O_{15}$, 13
subsolidus phase relations of the La–Fe–Al ternary system, 127
X-ray study of the thermal expansion anisotropy in neodymium vanadate, L4
X-ray structure determination
room-temperature crystal structure of the layered phase $Cu^{I}In^{III}P_2S_6$, 157